PRODUCT NUMBER: 1000106

Bilsom 304L Foamplug (Corded)

Learn more about our products at howardleight.com
>

Overview

Reference Number
1000106

Product Type
Hearing Protection

Range
Earplugs

Line
Disposable Earplugs

Brand
Howard Leight by Honeywell

Brand formerly known as
BILSOM

Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Minning and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

Product Use
Single-Use Earplug, Corded

Features & Benefits

Feature
POLYURETHANE FOAM Soft foam delivers superior long-wearing comfort and solid performance. SMOOTH, SOIL-RESISTANT SKIN Prevents dirt or other substances from accumulating on skin or entering ear canal.

Benefit

© Honeywell International Inc.

The Bilsom 300 Series earplugs are ideal for workers who need to block out loud noise and demand the best protection and comfort available in an earplug. Europe most-used polyurethane earplug, the 300 series earplug, offers superior noise-blocking performance in a single-use earplug.

Technical Description

SNR (dB)
33

H (dB)
32

M (dB)
29

L (dB)
29

Attenuation Data

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	28.4	37.3	37.9	39.1	36.0	34.6	42.5	46.4
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	6.4	9.0	9.2	9.7	7.9	4.6	4.9	4.7
Assumed Protection (dB) Angenommener (dB) Protection supposée (dB)	22.0	28.3	28.7	29.4	28.1	30.0	37.6	41.8

Size
Regular

Color
Yellow and white

Shape
bullet

Corded
Yes

Weight (grs)
0.48

Certifications

EU Category PPE
3

Quality Assurance
ISO 9001 / 2000

EU Certification
2777/12515-01/E00-00

Literature & Documents

PIC SKU - Pictures
http://www.honeywellsafety.com/assets/0/324/500/51887/bd54459da17d4e398f64385d9e4e9339.jpg

PIC SKU - Pictures
http://www.honeywellsafety.com/assets/0/324/500/51887/1465e3c132cf4130bed2f0c82ffae66d.jpg

© Honeywell International Inc.

PIC SKU - Pictures
http://www.honeywellsafety.com/assets/0/324/500/51887/3c9737436dc84e1e864c60bec9090ecb.jpg

PIC SKU - Pictures
http://www.honeywellsafety.com/assets/0/324/500/51887/7a0ed3d2c03449c7a22aa7828e9ae532.jpg

Additional Information

User Manual
Instruction Manual - Bilsom 303 (global)

Maintenance

Life Cycle
These plugs must be disposed of and replaced after each wearing.

Storage Information
All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions
Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs is not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

Packaging

EAN Code
7312553041106

© Honeywell International Inc.

© Honeywell International Inc.